

FIREFLY™ LIGHTING

LAMPS

FEBRUARY 2017 PRICE LIST

















(Prices are subject to change without prior notice)



COMPACT FLUORESCENT

COMPACT FLUORESCENT	Wattage	Lumen Output	Color Temperature	Lamp Base	Dimensions	Packaging	Suggested Retail Price
Product Description	W	Lm	K		(a x b mm)	Pcs./Ctn.	SRP
 220-240V Operating Voltage							
2U	8,000 H						
2U03D	3	180	6500 • Daylight	E27	45 x 111	50/25	79.95
2U05D	5	220	6500 • Daylight	E27	45 x 120	50/25	79.95
2U07D	7	300	6500 • Daylight	E27	45 x 126	50/25	79.95
2U09D	9	430	6500 • Daylight	E27	45 x 137	50/25	84.95
2U11D	11	580	6500 • Daylight	E27	45 x 144	50/25	84.95
2U13D	13	660	6500 • Daylight	E27	45 x 160	50/25	89.95
2U15D	15	850	6500 • Daylight	E27	45 x 171	50/25	89.95
 220-240V Operating Voltage							
2U Junior	8,000 H						
J2U05	5	220	6500 • Daylight	E27	37 x 105	50/25	79.95
J2U07	7	300	6500 • Daylight	E27	37 x 110	50/25	79.95
J2U09	9	380	6500 • Daylight	E27	37 x 121	50/25	84.95
 220-240V Operating Voltage							
3U	8,000 H						
3U18D	18	950	6500 • Daylight	E27	48 x 156	50/25	119.95
3U20	20	1180	6500 • Daylight	E27	48 x 156	50/25	119.95
3U23	23	1400	6500 • Daylight	E27	48 x 176	50/25	129.95
3U26	26	1475	6500 • Daylight	E27	48 x 176	50/25	129.95
 220-240V Operating Voltage							
3U Junior	8,000 H						
J3U11	11	590	6500 • Daylight	E27	41 x 114	50/25	119.95
J3U15	15	800	6500 • Daylight	E27	41 x 139	50/25	119.95
 220-240V Operating Voltage							
Spiral	8,000 H						
New!							
3S10	10	540	6500 • Daylight	E27	45 x 96	50/25	120.00
3S14	14	750	6500 • Daylight	E27	45 x 100	50/25	125.00
3S20	20	1180	6500 • Daylight	E27	59 x 124	50/25	134.95
3S24	24	1380	6500 • Daylight	E27	58 x 137	50/25	134.95
3S35	35	2160	6500 • Daylight	E27	69 x 190	20	220.00
3S45	45	2550	6500 • Daylight	E27	80 x 215	20	270.00
3S55	55	3100	6500 • Daylight	E27	80 x 235	20	380.00
3S65	65	4200	6500 • Daylight	E27	80 x 240	20	400.00
3S85	85	5400	6500 • Daylight	E27	100 x 270	10	600.00
3S105	105	5700	6500 • Daylight	E27	110 x 280	10	650.00
 220V Operating Voltage							
Pin Light 1U / 2U	8,000 H						
T107D	7	350	6500 • Daylight	G23	135 x 32	100/10	69.95
T109D	9	450	6500 • Daylight	G23	165 x 32	100/10	69.95
T213D	13	650	6500 • Daylight	G24d-2	140 x 27	100/10	84.95
T218D	18	990	6500 • Daylight	G24d-2	160 x 27	100/10	89.95

Requires Ballast

INCANDESCENT	Wattage	Lumen Output	Lamp Base	Dimensions	Packaging	Suggested Retail Price		
Product Description	W	Lm		(a x b mm)	Pcs./Ctn.	SRP		
220V Operating Voltage								
Standard Lamp								
	FINS10/F	Frosted	10	130	E27	60 x 109	100/10	20.95
	FINS25/F	Frosted	25	325	E27	60 x 109	100/10	20.95
	FINS40/F	Frosted	40	520	E27	60 x 109	100/10	20.95
	FINS50/F	Frosted	50	650	E27	60 x 109	100/10	20.95
	FINS60/F	Frosted	60	780	E27	60 x 109	100/10	21.95
	FINS100/F	Frosted	100	1240	E27	60 x 109	100/10	21.95
110V Operating Voltage								
Standard Lamp								
	FINS25/110	Frosted	25	325	E27	60 x 109	100/10	20.95
	FINS50/110	Frosted	50	650	E27	60 x 109	100/10	20.95
220V Operating Voltage								
Mushroom Lamp								
	FINM25/F	Soft White	25	325	E27	50 x 91	100/10	24.95
	FINM40/F	Soft White	40	520	E27	50 x 91	100/10	24.95
	FINM60/F	Soft White	60	780	E27	50 x 91	100/10	24.95
	FINM100/F	Soft White	100	1300	E27	61 x 104	100/10	24.95
220V Operating Voltage								
Candle Lamp								
	FINC25/C14	Clear	25	325	E14	35 x 97	100/10	15.95
	FINC40/C14	Clear	40	520	E14	35 x 97	100/10	15.95
	FINC25/F14	Frosted	25	325	E14	35 x 97	100/10	15.95
	FINC40/F14	Frosted	40	520	E14	35 x 97	100/10	15.95
	FINC25/C27	Clear	25	325	E27	35 x 97	100/10	15.95
	FINC40/C27	Clear	40	520	E27	35 x 97	100/10	15.95
	FINC25/F27	Frosted	25	325	E27	35 x 97	100/10	15.95
	FINC40/F27	Frosted	40	520	E27	35 x 97	100/10	15.95
220V Operating Voltage								
Round Lamp								
	FINR05/C	Clear	5	65	E27	45 x 73	100/10	14.95
	FINR10/C	Clear	10	130	E27	45 x 73	100/10	14.95
	FINR25/C	Clear	25	325	E27	45 x 73	100/10	14.95
	FINR40/C	Clear	40	520	E27	45 x 73	100/10	14.95
	FINR10/F	Frosted	10	65	E27	45 x 73	100/10	14.95
	FINR25/F	Frosted	25	130	E27	45 x 73	100/10	14.95
	FINR40/F	Frosted	40	325	E27	45 x 73	100/10	14.95
	FINR05/-	R/Y/G/B/O/W	5	65	E27	45 x 73	100/10	14.95
HALOGEN								
12V Operating Voltage								
Dichroic Reflector Halogen								
	FHDB12/20	MR11	20	360	GX5.3	35 x 35	200/10	29.95
	FHDB12/35	MR11	35	630	GX5.3	35 x 35	200/10	29.95
	FHDA12/20	MR16	20	360	GX5.3	50 x 45	200/10	29.95
	FHDA12/50	MR16	50	900	GX5.3	50 x 45	200/10	29.95
220V Operating Voltage								
Dichroic Reflector Halogen								
	FHDA220/35	MR16	35	630	GX5.3	50 x 45	200/10	49.95
	FHDA220/50	MR16	50	900	GX5.3	50 x 45	200/10	49.95
220V Operating Voltage								
Linear Halogen (J-type)								
	FHLA150		150	2400	R7s	12 x 78	500/10	39.95
	FHLB300		300	5400	R7s	12 x 118	500/10	39.95
	FHLB500		500	10000	R7s	12 x 118	500/10	39.95
	FHLC1000		1000	20000	R7s	12 x 189	500/10	69.95
	FHLD1500		1500	33000	R7s	12 x 254	500/10	94.95
12V Operating Voltage								
Peanut Bulb								
	FHDP12/20		20	360	G4	8 x 21	200	24.95
	FHDP12/35		35	630	G4	8 x 21	200	24.95
220V Operating Voltage								
Peanut Bulb								
	FHDP220/35		35	630	G4	13 x 44	200	44.95
	FHDP220/50		50	900	G4	13 x 44	200	44.95
220V Operating Voltage								
PAR38 Halogen Lamp								
	FPARFC80	Flood Clear	80	1440	E27	140 x 132	15	199.95
	FPARFC120	Flood Clear	120	2160	E27	140 x 132	15	199.95
	FPARSC80	Spot Clear	80	1440	E27	140 x 132	15	199.95
	FPARSC120	Spot Clear	120	2160	E27	140 x 132	15	199.95
	FPARR80	Red	80	1440	E27	140 x 132	15	229.95
	FPARY80	Yellow	80	1440	E27	140 x 132	15	229.95
	FPARB80	Blue	80	1440	E27	140 x 132	15	229.95
	FPARG80	Green	80	1440	E27	140 x 132	15	229.95


HIGH INTENSITY DISCHARGE	Wattage	Lumen Output	Color Temperature	Lamp Base	Dimensions	Packaging	Suggested Retail Price
Product Description	W	Lm	K		(a x b mm)	Pcs./Ctn.	SRP



220V Operating Voltage

Metal Halide Elliptical Lamp


FHIMH070/E	70	5600	4200 • Cool White	E27	55 x 138	50	699.95
FHIMH150/E	150	12000	4200 • Cool White	E27	55 x 142	50	699.95
FHIMH250/E	250	20000	4500 • Cool White	E40	91 x 226	20	734.95
FHIMH400/E	400	32000	4500 • Cool White	E40	122 x 290	12	734.95



220V Operating Voltage

Metal Halide Tubular Lamp


FHIMH070/T	70	5500	4500 • Cool White	E27	38 x 156	25	699.95
FHIMH150/T	150	11500	4500 • Cool White	E27	47 x 211	25	699.95
FHIMH250/T	250	20500	4500 • Cool White	E40	47 x 257	25	734.95
FHIMH400/T	400	36000	4500 • Cool White	E40	47 x 283	25	734.95
FHIMH1000/T	1000	85000	4500 • Cool White	E40	66 x 385	20	2,999.95
FHIMH070DL/T	70	4500	6500 • Daylight	E27	38 x 156	25	699.95
FHIMH150DL/T	150	9000	6500 • Daylight	E27	47 x 211	25	699.95
FHIMH250DL/T	250	18000	6500 • Daylight	E40	47 x 257	25	734.95
FHIMH400DL/T	400	28000	6500 • Daylight	E40	47 x 283	25	734.95
FHIMH1000DL/T	1000	82000	6500 • Daylight	E40	66 x 385	20	2,999.95



220V Operating Voltage

Metal Halide Linear Lamp


FHIMH070/L	70	5600	4200 • Cool White	R7s	21 x 118	50	699.95
FHIMH150/L	150	12000	4200 • Cool White	R7s	24 x 136	50	699.95



220V Operating Voltage

High Pressure Sodium Lamp

FHIHS070/T	70	6000	2000 • Warm White	E27	38 x 156	25	419.95
FHIHS150/T	150	15000	2000 • Warm White	E27	47 x 211	25	419.95
FHIHS250/T	250	28000	2000 • Warm White	E40	47 x 257	25	524.95
FHIHS400/T	400	48000	2000 • Warm White	E40	47 x 283	25	524.95



220V Operating Voltage

Mercury Lamp

FHIBM160/E	160	3100	3600 • Warm White	E27	76 x 177	25	139.95
FHIBM250/E27	250	5500	3600 • Warm White	E27	91 x 232	20	204.95
FHIBM250/E40	250	5500	3600 • Warm White	E40	91 x 232	20	214.95
FHIBM500/E	500	11000	3600 • Warm White	E40	122 x 287	12	329.95

Product Description	Wattage	PKG.	Suggested Retail Price	Product Description	Wattage	PKG.	Suggested Retail Price
Item Code	W	Pcs./Ctn.	SRP	Item Code	W	Pcs./Ctn.	SRP



220V Operating Voltage

Metal Halide Ballast

FHIMHB070	70	6	574.95
FHIMHB150	150	6	834.95
FHIMHB250	250	6	1,149.95
FHIMHB400	400	6	1,499.95
FHIMHB1000	1000		5,599.95



220V Operating Voltage

Metal Halide / HPS Ignitor

FHIMHI70/400	70 - 400	10/100	379.95
FHIMHI1000	1000		799.95



220V Operating Voltage

High Pressure Sodium Ballast

FHIHSB070	70	6	574.95
FHIHSB150	150	6	734.95
FHIHSB250	250	6	1,149.95
FHIHSB400	400	6	1,499.95




220V Operating Voltage

Metal Halide / HPS Capacitor

FHIMHC070	12 uF	70	100	139.95
FHIMHC150/250	16 uF	150/250	100	249.95
FHIMHC400	25 uF	400	100	379.95
FHIMHC1000	63 uF	1000		1,099.95

FLUORESCENT TUBE	Wattage	Lumen Output	Color Temperature	Lamp Base	Dimensions	Packaging	Suggested Retail Price
Product Description	W	Lm	K		(a x b mm)	Pcs./Ctn.	SRP



220V Operating Voltage

Straight FL Tube

FS08/T5D	T5	8	480	6500 • Daylight	G5	15.9 x 300	25	38.00
FS08/T5C	T5	8	480	4000 • Cool White	G5	15.9 x 300	25	38.00
FS08/T5W	T5	8	480	2700 • Warm White	G5	15.9 x 300	25	38.00
FS14/T5D	T5	14	840	6500 • Daylight	G5	15.9 x 600	25	53.00
FS14/T5C	T5	14	840	4000 • Cool White	G5	15.9 x 600	25	53.00
FS14/T5W	T5	14	840	2700 • Warm White	G5	15.9 x 600	25	53.00
FS21/T5D	T5	21	1260	6500 • Daylight	G5	15.9 x 600	25	63.00
FS21/T5C	T5	21	1260	4000 • Cool White	G5	15.9 x 600	25	63.00
FS21/T5W	T5	21	1260	2700 • Warm White	G5	15.9 x 600	25	63.00
FS28/T5D	T5	28	1680	6500 • Daylight	G5	15.9 x 1200	25	71.00
FS28/T5C	T5	28	1680	4000 • Cool White	G5	15.9 x 1200	25	71.00
FS28/T5W	T5	28	1680	2700 • Warm White	G5	15.9 x 1200	25	71.00
FS10/T8D	T8	10	600	6500 • Daylight	G13	25.4 x 340	25	39.95
FS18/T8D	T8	18	1050	6500 • Daylight	G13	25.4 x 610	25	54.95
FS18/T8W	T8	18	1050	2700 • Warm White	G13	25.4 x 610	25	59.95
FS18/T8C	T8	18	1050	4000 • Cool White	G13	25.4 x 610	25	59.95
FS36/T8D	T8	36	2500	6500 • Daylight	G13	25.4 x 1220	25	59.95
FS36/T8W	T8	36	2500	2700 • Warm White	G13	25.4 x 1220	25	64.95
FS36/T8C	T8	36	2500	4000 • Cool White	G13	25.4 x 1220	25	64.95
FS20/T10D	T10	20	1200	6500 • Daylight	G13	31.75 x 600	25	54.95
FS40/T10D	T10	40	2400	6500 • Daylight	G13	31.75 x 1200	25	59.95
FS20/T12D	T12	20	1050	6500 • Daylight	G13	38.1 x 600	25	64.95
FS40/T12D	T12	40	2500	6500 • Daylight	G13	38.1 x 1200	25	69.95

220V Operating Voltage

T9 Circular FL Tube


FC22/T9	22	1250	6500 • Daylight	G10Q	28.6 x 215	20	84.95
FC32/T9	32	2050	6500 • Daylight	G10Q	28.6 x 310	20	94.95
FC40/T9	40	2500	6500 • Daylight	G10Q	28.6 x 400	20	139.95

220V Operating Voltage

Circular Lamp Set with Electronic Ballast

FECLB22	22	1250	6500 • Daylight	E27	28.6 x 215	20	239.95
FECLB32	32	2050	6500 • Daylight	E27	28.6 x 310	20	269.95

Product Description	Wattage	Lamp Base	PKG.	Suggested Retail Price	Product Description	PKG.	Suggested Retail Price
Item Code	W		Pcs./Ctn.	SRP	Item Code	Pcs./Ctn.	SRP



220V Operating Voltage

Electronic Ballast for Circular Lamp with Holder

FECHA22	22	E27	20	139.95
FECHA32	32	E27	20	169.95

220V Operating Voltage

Starter with Condenser

FSU	4-65	N/A	500/25	7.95
-----	------	-----	--------	-------------

220V Operating Voltage

Premium Magnetic Ballast for Straight FL

FCGFMB20/220	20W	20	130.00
FCGFMB40/220	40W	20	130.00

220V Operating Voltage

Electronic Ballast for Straight FL

FSEB1x14/220A	T5	50	335.00
FSEB2x14/220A	T5	50	400.00
FSEB1x28/220A	T5	50	380.00
FSEB2x28/220A	T5	50	520.00
FSEB1x18/220A	T8	50	255.00
FSEB2x18/220A	T8	50	305.00
FSEB1x36/220A	T8	50	275.00
FSEB2x36/220A	T8	50	390.00

Contact Person:

FIREFLY ELECTRIC & LIGHTING CORP.

7/F Zen Offices Bldg. 1111 Natividad Lopez St., Ermita, Manila, Philippines
 T: (02) 7891000 (Trunkline)
 www.fireflyelectric.com • info@fireflyelectric.com